



M U L T I C A N E M U L A T O R

Equipped with auto detection of the engine ECU in the following brands:
Renault, Citroen, Peugeot, Fiat, Alfa Romeo, Iveco.


It is an innovative product on the IMMO Automotive brand market.

The emulator automatically recognizes the brand and the type of the engine ECU.

It does not require the picking of any jumpers, which is what
differentiates it amongst other emulators.

Multi CAN emulator operates the engine ECU with a CAN speed 250kb & 500kb.

The CAN speed selected with jumper J1





M U L T I
C A N
E M U L A T O R



Citroen, Peugeot (PSA)

PSA PIN Ideology

CAN speed 250kB & 500kB

The PIN **2222** – ASCII **32 32 32 32** must be inserted in the engine ECU.

Selecting CAN speed:

CAN 500kB J1– open

CAN 250kB J1– closed

Diode behavior:

- 1 long blink (1 sec.) – the engine ECU is ready, permission to start
 - fast diode blinking (3 times per second) – incorrect PIN
- no blink – faulty plug-in of the emulator or incorrect choice of CAN speed




Caution:

There is a possibility of an overlap in authorisation between BSI and ECU.
In this case, please remove the transponder from the key.



PSA with CAN 500 & 250 kb/s Citroen – Peugeot

EDC17C10, EDC17CP42 – SAK TC1797



!!!WARNING!!!

When eeprom size its 128KB

Please enter in the eeprom memory
from address 1008A to 1008D these values:

32 32 32 32

and from address 1010A to 1010D these
values:

32 32 32 32



!!!AFTER THAT CHANGES PLEASE CORRECT CHECKSUM!!!
If you have any problem with checksum please contact
our support on Skype: Ecu-Service_support

Offset(h)	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	Decoded text
00010000	01	00	E1	EE	FC	2A	00	00	01	72	5D	75	B8	00	37	30	..âiü*...r]u.,70
00010010	39	2D	30	31	2D	31	32	FF	C9	C8	31	31	2D	30	31	2D	9-01-12'ÉÇ11-01-
00010020	31	32	06	58	12	63	02	95	11	01	12	02	04	20	31	30	12.X.c.*..... 10
00010030	33	37	35	31	34	34	31	31	10	05	2F	2F	31	30	33	37	37514411../1037
00010040	35	30	38	37	36	32	00	00	00	37	FF	C9	FF	C8	01	00	508762...7'É'Ç..
00010050	20	A1	07	00	00	00	00	00	00	00	00	00	00	00	00	00	
00010060	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
00010070	00	00	00	00	00	00	00	00	0E	00	00	00	00	20	ED	1B	 i.#
00010080	08	00	C0	D7	F3	2A	00	00	40	04	32	32	32	32	81	00	..R×ó*...@.2222..
00010090	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
000100A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
000100B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
000100C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
000100D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
000100E0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
000100F0	00	00	00	00	00	00	00	00	04	00	00	00	76	8B	78	00	 v×x.
00010100	09	00	2F	57	F3	2A	00	00	40	04	32	32	32	32	81	00	../Wó*...@.2222..



PSA CAN 500 & 250 kb/s
Citroen & Peugeot

VISTEON DCU 102



FLASH ST 10F276




1. The engine ECU must be set to virgin – the engine ECU will learn the code itself.
2. The ISK code 22 22 22 22 22 22 must be inserted in the engine ECU.

If you have any problem with entering ISK code please contact our support on Skype:
Ecu-Service_support



PSA with CAN 500 & 250 kb/s
Citroen - Peugeot

Continental SID807 & 807 EVO





PSA with CAN 500 & 250 kb/s
Citroen – Peugeot

Continental SID807 & 807 EVO

www.ecu service.info

www.ecu service.info

www.ecu service.info

Please enter in the flash:
if in address **B07=80**

www.ecu service.info

www.ecu service.info

www.ecu service.info

from address **B00** to **B09** these values:

www.ecu service.info

32 32 32 32 04 40 81 80 37 01

www.ecu service.info

Offset (h)	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	Decoded text
0000AE0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0000AF0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0000B00	32	32	32	32	04	40	81	80	37	01	00	01	00	00	00	00	2222.@.€7.
0000B10	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0000B20	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	

www.ecu service.info

www.ecu service.info

www.ecu service.info

www.ecu service.info

Please enter in the flash:
if in address **B07=D0**

www.ecu service.info

www.ecu service.info

www.ecu service.info

from address **B00** to **B09** these values:

32 32 32 32 04 40 81 D0 87 01

Offset (h)	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	Decoded text
0000AE0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0000AF0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0000B00	32	32	32	32	04	40	81	D0	87	01	00	01	00	00	00	00	2222.@.D+.
0000B10	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0000B20	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	

www.ecu service.info

www.ecu service.info



www.ecu service.info

www.ecu service.info



PSA with CAN 500 & 250 kb/s
Citroen – Peugeot

CONTINENTAL SID208



The way to modify the file is available after purchase
with unique code placed on emulator!




Files protected against copying by others companies!!!

www.ecu-service.info



PSA with CAN 500 & 250 kb/s
Citroen – Peugeot

IAW 6LP



The way to modify the file is available after purchase
with unique code placed on emulator!



Files protected against copying by others companies!!!

www.ecu-service.info



PSA with CAN 500 & 250 kb/s Citroen – Peugeot

VALEO V46.11



Please enter in the 95128 eeprom memory
from address 08 to 13 these values:

32 32 32 32 00 00 00 00 00 81 00 1A 9B

and from address 108 to 113 these values:

32 32 32 32 00 00 00 00 00 81 00 1A 9B



Offset(h)	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	Decoded text
00000000	CC	33	33	CC	00	00	FF	FF	32	32	32	32	00	00	00	00	È33È...2222...
00000010	81	00	1A	9B	00	00	40	04	BF	FB	32	31	CD	CE	2E	C0	...p..z.....
00000020	05	00	2E	70	05	20	98	AF	00	00	00	00	00	00	00	00	
00000030	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
00000040	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
00000050	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
00000060	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
00000070	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
00000080	00	00	00	00	00	00	00	00	00	00	FF	FF	00	00	FF	FF	
00000090	B3	FE	00	00	00	02	FD	EF	FE	08	FD	F7	FB	FE	FB	00	
000000A0	SB	13	00	00	00	00	00	00	00	00	00	00	78	63	87	9C	
000000B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
000000C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
000000D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
000000E0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
000000F0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
00000100	FF	FF	2F	CE	00	00	D0	31	32	32	32	32	00	00	00	00	
00000110	81	00	1A	9B	00	00	40	04	BF	FB	FF	0A	02	00	00	00	

If you have any problem please contact our support
on Skype: Ecu-Service_support



PSA with CAN 500 & 250 kb/s
Citroen – Peugeot

DELPHI DCM 3.5



The way to modify the file is available after purchase
with unique code placed on emulator!




Files protected against copying by others companies!!!

www.ecu-service.info



PSA with CAN 500 & 250 kb/s Citroen - Peugeot

DELPHI DCM 3.4



Please enter in the 95320 eeprom memory
from address 1F4 to 1FB these values:

32 32 32 32 81 00 01 4A




If you have any problem please contact our support
on Skype: Ecu-Service_support

Offset(h)	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	Decoded text
000001B0	00	00	00	00	00	00	00	00	E9	39	A2	75	12	B1	69	F8	é9~u.tiř
000001C0	E2	AB	B1	45	E0	19	3D	E2	7B	13	30	82	19	1B	14	51	â«Eř.=â{.0,...Q
000001D0	45	A0	3D	39	9E	6F	12	D0	5D	A7	A0	A3	4E	C9	F0	99	E =9žo.D]ş LNÉâ™
000001E0	41	E2	73	03	30	72	09	20	DB	B0	C5	F0	01	01	01	01	Aâs.Or. Ů°İd....
000001F0	00	04	46	B8	32	32	32	32	81	00	01	4A	40	04	00	45	..F,2222,...00...E
00000200	D3	53	2F	BD	02	13	00	02	00	00	00	00	8B	FA	00	01	Ös/"İnfâ....ú..
00000210	F7	EF	DF	FD	FF	FF	00	01	05	01	00	00	07	50	FF	51	+dßý'.....P'Q
00000220	00	00	39	36	35	38	34	36	33	34	39	39	02	00	03	72	..9658463499...r



PSA with CAN 500 & 250 kb/s Citroen – Peugeot

EDC16



Please enter in the eeprom memory
from address **60** to **67** these values:

C8 8C B4 47 01 04 FD AB

from address **80** to **87** these values:

FC ED 11 73 54 38 FD 06

from address **A0** to **A7** these values:

E9 9E A0 41 AB C7 FC 25



Offset(h)	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	Decoded text
00000000	00	8F	34	40	B8	FF	FF	30	39	2D	30	37	2D	31	30	FF	.240, '09-07-10'
00000010	01	CF	30	39	2D	30	37	2D	31	30	06	58	14	15	24	84	.D09-07-10.X..\$,,
00000020	10	07	2F	17	32	59	31	30	33	37	33	38	36	31	36	36	2Y1037386166
00000030	FF	FF	2F	2F	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	E7 15	'/'.....'ç.
00000040	15	9B	03	33	01	99	03	33	02	66	00	00	00	01	E9	5E	.>.3.™.3.f....é^
00000050	01	04	01	3E	01	17	00	F6	00	05	00	00	FB	42	00	00	...>...ö.....üB..
00000060	C8	8C	B4	47	01	04	FD	AB	00	00	00	00	00	00	00	00	CS'G..ÿ.....
00000070	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
00000080	FC	ED	11	73	54	38	FD	06	00	00	00	00	00	00	00	00	üi.sI8ÿ.....
00000090	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
000000A0	E9	9E	A0	41	AB	C7	FC	25	00	00	00	00	00	00	00	00	éz AæÇü.....
000000B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	

If you have any problem please contact our support
on Skype: Ecu-Service_support



PSA with CAN 500 & 250 kb/s Citroen – Peugeot

SIEMENS SID 201



Please enter in the 95320 eeprom memory
from address 20 to 27 these values:

7B EB 32 32 32 32 04 01




If you have any problem please contact
our support on Skype: Ecu-Service_support

Offset(h)	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	Decoded text
00000000	BF	14	01	00	74	71	31	31	31	50	50	30	42	32	43	31	z...tq11PP0B2C1
00000010	30	30	F3	4F	05	29	3A	48	00	15	38	DF	36	1B	38	69	0060.):H..8A6.8i
00000020	7B	EB	32	32	32	32	04	01	01	01	C2	A5	DF	F7	BF	BF	{e2222...}AA8-zz
00000030	FE	FE	EF	AA	89	08	02	00	00	01	98	BC	7D	E3	63	37	ttd5h.....L)ac7
00000040	38	81	00	0E	37	7F	0D	01	43	58	39	36	35	35	31	34	8...7...CX965514
00000050	32	33	39	39	AF	43	D6	93	01	58	39	36	00	00	00	00	23992C0".X96....
00000060	01	33	39	39	04	AE	A5	A5	D5	8E	00	02	9A	71	00	36	.399.0A0Z...sq.6
00000070	08	05	00	03	9C	C4	80	12	00	2C	00	0D	00	09	00	0D	sAE.....



PSA with CAN 500 & 250 kb/s Citroen – Peugeot

SIEMENS SID 804



Please enter in the 93C56 eeprom memory
from address 00 to 03 these values:

32 32 32 32

and from address 54 to 57 these values:

32 32 32 32

Offset(h)	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	Decoded text
00000000	32	32	32	32	04	01	51	A1	02	00	00	FF	FF	FF	00	00	2222...Q*.....
00000010	00	03	01	5A	00	00	0F	FF	9E	F1	DF	F7	FE	FF	FF	FF	...Z...`žňB÷t`...
00000020	EF	FA	FB	04	02	00	00	01	4C	5B	FF	FF	FF	FF	FF	FF	dúú.....L[.....
00000030	FF	FF	FF	FF	FF	FF	FF	FF	FE	80	39	36	35	36	37	31	t€965671
00000040	38	36	39	39	7C	30	80	52	FF	FF	FF	FF	FF	FF	01	8F	8699 0ER.....Z
00000050	FF	00	71	C3	32	32	32	32	04	01	B0	60	02	00	00	FF	qA2222...°....
00000060	1F	9B	00	00	00	03	01	5A	00	00	0F	FF	9E	F1	DF	F7	.>.....Z...`žňB÷

!!!AFTER THAT CHANGES PLEASE CORRECT CHECKSUM!!!

If you have any problem with checksum please contact
our support on Skype: Ecu-Service_support



M U L T I
C A N
E M U L A T O R

Any attempt at larceny, copying, citing or reselling the disclosed ideas, images and graphics in the instruction developed by us – without permission is strictly prohibited.

All afore mentioned are subject to and protected concordantly by the 4.II.1994 enactment respecting copyright and affined laws (Dz.U. nr 24 poz. 93) + protection of the 8.VI.1993 enactment regarding eradicating dishonest competition (Dz.U. nr 47 poz. 211).

Not applying to the conditions specified above will be met with penal consequences!

This company is not liable for the device being used for illegal purposes.

www.ecu-service.info

www.ecu-service.info